




RACKETS


Your VICTOR, Your RACKETS

VICTOR not only makes every effort in the area of product material R&D, technology and quality, it also attaches importance to the rights of the consumers. From 2011 all rackets have a specification laser code or specification sticker providing detailed racket specification information.




Racket Shaft Number

Each VICTOR racket has its own personal shaft number, shown at the bottom of the shaft, which is the exclusive ID of each individual racket. The first Roman letters show the sales area (TW is Taiwan and CN is China). To avoid buying a product that is a parallel import or counterfeit, affecting your warranty rights, please check this number carefully.



NEW Display(From 2014)



D Balance

The racket balance point is the distance from the front sleeve to the fulcrum, the higher the value the heavier the head is (HH), and the smaller the value the lighter the head (HL).


E Stiffness

The stiffness of the shaft affects the feeling when you play badminton. When a soft racket (shaft) is used, the shuttlecock stays on the racket face for a longer time and is easier to control. Soft rackets are suited for use by beginners. When a stiff racket hits a shuttlecock, accuracy and efficiency of power delivery are better than with a soft racket; stiff rackets are best used only by advanced players.


F Response

The Response Indicator is classified into 10 levels which shows on the racket's shaft. The dot closes left side with stiff response, while right side with flexible response.

	Stiff Response	Flexible Response
Racket Structure	Rigid	Ductile
Features	Provide stiff feel and efficiently transfer the power to shuttlecock.	Provide smooth experience and contribute to less energy require to be used.
Players	Players who enjoy an aggressive game.	Players who enjoy effortless power.



OLD Display



Racket Laser Engraved Code

A Weight

“U” is the unit of weight. 3U stands for 85-89.9 grams 4U stands for 80-84.9 grams 5U stands for 75-79.9 grams 6U stands for 70-74.9 grams (all are unstrung weight)

B Grip

VICTOR releases new grip indicator in 2013, provides consumers an easier way to select the racket that best suits their needs.

2013 New Indicator	G6	G5	G4
Original Indicator	G1	G2	G3
Grip Size	7.9cm	8.1cm	8.5cm

(“G” is unit of grip perimeter.)

C Tension

Tension, divided into lateral line H and vertical line V tension, is the safety factor of a racket frame, the maximum poundage that can be safely reached when a racket is strung. For example, H \leq 30lbs V \leq 28lbs means that, when a racket is strung, the highest lateral line tension is 30lbs and the highest vertical line tension is 28lbs.

G Hologram Sticker

All VICTOR products have a hologram sticker. To protect your interests as a consumer, please check this sticker to ensure you buy a genuine VICTOR product.



“VICTOR”

The surface of the VICTOR logo gradually expands.

VICTOR VICTOR VICTOR VICTOR VICTOR

Shift the label lightly under single or multiple sources of light.

Rackets Hologram Sticker



Other Products

VICTOR 3 Types Of Rackets

VICTOR has released three ways to classify the racket. ALL-AROUND, SPEED and POWER. Together with the new racket cross-coordinate map (HEAVY, LIGHT, BOUNCE and CONTROL), player can precisely select the racket that best suits their needs according to playing style, habits and requirements.



Precision, control the situation authoritatively

This stable and solid ALL-AROUND racket type gives excellent handling and is suitable for player seek for precision and control

HYPERNANO X

HYPERNANO X enables maximal accuracy in smashes and offers great control that allows easy shifting between defense to attack. Powered by AERO-DIAMOND and advanced material technology, HYPERNANO X efficiently attacks and defends with best functionality, at the same time keeping balance and stabilizing anti-torque.

METEOR X

Improved reinforced hitting power and racket frame stability. The METEOR X series uses the OCTABLADE structure combined with CARBON XT reinforced woven carbon fiber technology to not only provide racket frame stability, but also improve effectiveness in reducing air resistance, attacking power, and added antitorque in the shaft. Strung with the EIGHTY-80 mode and the PEAK WAVES to provides greater frame stability and not only increases the fit of the strings, but also reduces wear and tear for better racket durability.



Speed is the first step to victory

The SPEED type racket is light and can facilitate faster swing, allowing key opportunities to be grasped. This racket type is suitable for players who seek and rely on speed.

JET SPEED S

Equipped with innovative frame structure and technology, offer fast and smooth swing and incredible response with instant strength. This series offer the player with a great advantage over opponents during the game.

BRAVE SWORD

The BRAVE SWORD uses diamond-shaped design to cut wind as a sword, vastly reducing air resistance while encouraging nimble handling. The INNER WAVES technology provides more consistent face stability.



Deliver lethal smashes to win

The POWER type racket is rigid and delivers massive power. This type of racket is for the player who seeks for maximum power in their game.

THRUSTER K

Attack is the best defense and is the foundation of victory. Combining a frame structure that releases smash power and graphene used frame, it provides solid experience and devastating power, making your smash more powerful.

Racket Coordinates


Horizontal Axis (CONTROL/BOUNCE)


Vertical Axis (HEAVY/LIGHT)

The racket's frame shape and shaft stiffness, as well as the materials and technology adopted, are all factors that may affect handling experience. This axis precisely shows the features of racket handling: Rackets lean toward BOUNCE type provide a solid feel in the hands, enabling speedy shots and emphasizing the shaft elasticity. On the other hand, rackets lean toward CONTROL type highlight the handling experience brought by the racket face, creating more time to manipulate the flight path and make decisive counter attacks.


Swing weight testing and balance points of a racket are used to determine the position of the coordinates. Head-heavy rackets tend to gain extra power by head weight during swinging and are more suitable for players who pursue power. Head-light rackets are lighter on the wrist and are more suitable for less competitive consumers or beginners.

Racket Mapping






Ultra Carbon Nano Fiber provides crispy and comfortable feel on impact. The result of reduced weight comes without sacrificing the strength and power, while the resilience of nanofiber still maintains excellent control and stability for every hit.




Graphene is composed of carbon atoms arranged densely in a hexagonal honeycomb crystal lattice, which has become one of the lightest and strongest materials in the 21st century. By only one gram of graphene can bear five tons of weight. Combining with carbon fiber, it fortifies the racket frame and makes the racket get lighter and stronger, which causes a revolution in a way of racket performance.



PYROFIL carbon fiber and its composites, are advanced high-performance materials from Japan. The characteristic of high intensity bonds ultra-light offers racket excellent shock-absorption and enhances control.



The NANO TEC technology works by evenly distributing nano-sized particles in the vacant space between carbon fiber bundles, this highly increases the overall stiffness of the carbon composite fibers, and reduces the distortion of the frame.




Material Enforcement



Inspired by military helicopter, multi-layered structure made by carbon fiber and composites, minimize material size, reinforce handling feel and performance at a critical standard.



NanoFortify is composed by numerous tube-shaped carbon fiber. This technology can optimize high resilience. With bending strength to generate high repulsion, which enhance attacking power on every single hit.




NANO TUBE has increased much bending force compare with conventional graphite. VICTOR imply above feature to offer racket present light & flexible response.



Core shell rubber is used to cover the epoxy resins to build resilience and protection. Core shell rubber is added into carbon fiber and the foam materials used to fill the frame, which not only increases the extension strength of carbon fiber, but also improves the resilience. The Foamex turns much more compacted during the foaming process, and possesses with better shock absorption once the foaming is done.

Core Shell Rubber Carbon Fiber Resin



RACKET TECHNOLOGIES

AERO-DIAMOND



Combining the controllability of “diamond-shape” structure with the stability and smoothness of “sword-shape” structure, AERO-DIAMOND frame minimizes air-resistance and improves handling stability during each game.

AERO-SWORD



Innovative technology combining the two popular frame structure SWORD and AERODYNAMIC, the AERO-SWORD can efficiently reduce air resistance and allowing a faster and grater hitback.



Frame Section

POWER BOX

The box-shaped design effectively increases the stability and anti-torque, can stand higher string tension.



SWORD

This diamond-shaped design cuts through the air like sword. It significantly reduces air resistance and provides a faster swing speed.



OCTABLADE


The octablade cross-section design combines the shapes of a rhomboid and a hexagonal structure and provides better racket face stability, reduces air resistance, and improves attacking power and control.



AERODYNAMIC

The elliptically-shaped section can decrease the air resistance, provide higher anti-torque, maximize control and vastly increase the speed of returning hit.

Frame Enforcement



SHARK TEC

SHARK TEC is inspire by the skin of shark. Shark skin's sandpaper-like surface is added to the racket frame to reduce air resistance, which can enable the player with a smoother shot.



CATAPULT STRUCTURE

CATAPULT STRUCTURE stores power and releases at smashing for maximum effect .




SHOCKLESS



Special shock absorbing materials are located on 3 and 9 o'clock; significantly reducing the shock of impact.

INNER WAVES



The INNER WAVES technology lengthened the string, with 5% extended sweet spot, significantly reduce shock, provides more maneuverability and face stability.

Grommet System

SEVEN SIX 76

The single-pass grommet hole construction creates less friction between strings, this effectively reduces tension loss, while extending string life.

EIGHTY-80

The unique 80-hole stringing pattern is a one-string-per-hole. This creates a perfect square network which allows an even distribution of the string and reduces friction between the horizontal and vertical strings which also reduces re-stringing time.

HYPERNANO X

HYPERNANO X enables maximal accuracy in smashes and offers great control that allows easy shifting between defense to attack. Powered by AERO-DIAMOND and advanced material technology, HYPERNANO X efficiently attacks and defends with best functionality, at the same time keeping balance and stabilizing anti-torque.


ALL-AROUND



Ultra Carbon Nano Fiber provides crispy and comfortable feel on impact. The result of reduced weight comes without sacrificing the strength and power, while the resilience of nanofiber still maintains excellent control and stability for every hit.


AERO-DIAMOND

Combining the controllability of "diamond-shape" structure with the stability and smoothness of "sword-shape" structure, AERO-DIAMOND frame minimizes air-resistance and improves handling stability during each game.



X 800 LTD

EVOLVED FORCE



HARD CORED TECHNOLOGY

PYROFIL
by Mitsubishi

Ultra CNF

HX-800LTD-P


HX-800LTD-C

VICTOR

www.victorsport.co.id

HYPERNANO X 800 LTD

EVOLVED FORCE




HX-800LTD-P

HX-800LTD-P equipped with AERO-DIAMOND and Ultra Carbon Nano Fiber. Through the reallocation of weight balance, the head is further weighted and the anti-torque performance of the shaft is largely improved. With better controllability, HX-800LTD-P could advance the accuracy of every powerful hit.


HX-800LTD-C

HX-800LTD-C engineered with AERO-DIAMOND and Ultra Carbon Nano Fiber. The frame shape provides great accuracy and stability. The reallocation of weight balance further improves the anti-torque performance of the shaft, making every swing and counter-attacking easier and faster. HX-800LTD-C can efficiently improve overall speed with stable attacks.

HEAD WEIGHT



SHAFT ANTI-TORQUE



HARD CORED TECH



HX-800LTD-P

HX-800LTD-C



HYPERNANO X



NEW

HYPERNANO X 800LTD P



HX-800LTD P

Stiff Flexible

- ▶ LENGTH 675mm
- ▶ WEIGHT/ GRIP SIZE 3U/G4, G5 4U/G5
- ▶ STRING TENSION LBS ≤ 28 lbs ≤ 27 lbs
- ▶ FRAME Ultra High Modulus Graphite + Ultra Carbon Nano Fiber + HARD CORED TECHNOLOGY
- ▶ SHAFT Ultra High Modulus Graphite + PYROFIL by Mitsubishi + 6.8 SHAFT
- ▶ REMARK Made In Taiwan

HX-800LTD-P equipped with AERO-DIAMOND and Ultra Carbon Nano Fiber. Through the reallocation of weight balance, the head is further weighted and the anti-torque performance of the shaft is largely improved. With better controllability, HX-800LTD-P could advance the accuracy of every powerful hit.

NEW

HYPERNANO X 800LTD C




HX-800LTD C

Stiff Flexible

- ▶ LENGTH 675mm
- ▶ WEIGHT/ GRIP SIZE 3U/G4, G5 4U/G5
- ▶ STRING TENSION LBS ≤ 28 lbs ≤ 27 lbs
- ▶ FRAME Ultra High Modulus Graphite + Ultra Carbon Nano Fiber + HARD CORED TECHNOLOGY
- ▶ SHAFT Ultra High Modulus Graphite + PYROFIL by Mitsubishi + 6.8 SHAFT
- ▶ REMARK Made In Taiwan

HX-800LTD-C engineered with AERO-DIAMOND and Ultra Carbon Nano Fiber. The frame shape provides great accuracy and stability. The reallocation of weight balance further improves the anti-torque performance of the shaft, making every swing and counter-attacking easier and faster. HX-800LTD-C can efficiently improve overall speed with stable attacks.



HYPERNANO X



HYPERNANO X 800



HX-800



► LENGTH	675mm
► WEIGHT/ GRIP SIZE	3U/G4, G5 4U/G5
► STRING TENSION LBS	≤ 28 lbs ≤ 27 lbs
► FRAME	Ultra High Modulus Graphite + Ultra Carbon Nano Fiber
► SHAFT	Ultra High Modulus Graphite + PYROFIL by Mitsubishi + 6.8 SHAFT
► REMARK	Made In Taiwan

Engineered with Ultra Carbon Nano Fiber the AERO-DIAMOND frame provides excellent resilience and anti-torsion performance. This lightweight yet stable racket is perfect for players who are looking for exceptional precision.

NEW

HYPERNANO X AIR



HX-AIR



► LENGTH	675mm
► WEIGHT/ GRIP SIZE	4U/G5, G6 5U/G5, G6 6U/G6
► STRING TENSION LBS	≤ 27 lbs ≤ 26 lbs ≤ 25 lbs
► FRAME	Ultra High Modulus Graphite + Nano Resin + HARD CORED TECHNOLOGY
► SHAFT	Ultra High Modulus Graphite + Nano Resin + TORAYCA PREPREG + 7.0 SHAFT

Enables speedy swing and easy counter-attacking with sturdy and stable handling, providing an unprecedented controllability and feedback. The brand new design efficiently allocates overall racket weight and significantly improves the stiffness and durability.

HYPERNANO X



HYPERNANO X 600



HX-600



► LENGTH	675mm
► WEIGHT/ GRIP SIZE	3U/G5, G6 4U/G5, G6
► STRING TENSION LBS	≤ 30 lbs ≤ 28 lbs
► FRAME	Ultra High Modulus Graphite + CSR
► SHAFT	Ultra High Modulus Graphite + 6.8 SHAFT

NEW

HYPERNANO X 500P



HX-500P



► LENGTH	675mm
► WEIGHT/ GRIP SIZE	3U/G4, G5 4U/G5
► STRING TENSION LBS	≤ 28 lbs ≤ 27 lbs
► FRAME	Ultra High Modulus Graphite + Nano Resin + HARD CORED TECHNOLOGY
► SHAFT	Ultra High Modulus Graphite + PYROFIL by Mitsubishi + 6.8 SHAFT

Precise controllability and powerful attacks.

HYPERNANO X

HYPERNANO X



Precise controllability and speedy swings.



NEW

HYPERNANO X 500C



HX-500C

Stiff ——— Flexible

- ▶ LENGTH 675mm
- ▶ WEIGHT/GRIP SIZE 3U/G4, G5 4U/G5
- ▶ STRING TENSION LBS ≤ 28 lbs ≤ 27 lbs
- ▶ FRAME Ultra High Modulus Graphite + Nano Resin + HARD CORED TECHNOLOGY
- ▶ SHAFT Ultra High Modulus Graphite + PYROFIL by Mitsubishi + 6.8 SHAFT

NEW

HYPERNANO X 80



HX-80

Stiff ——— Flexible

- ▶ LENGTH 675mm
- ▶ WEIGHT/GRIP SIZE 3U/G4, G5 4U/G5
- ▶ STRING TENSION LBS ≤ 26 lbs ≤ 25 lbs
- ▶ FRAME High Modulus Graphite + Nano Resin + HARD CORED TECHNOLOGY
- ▶ SHAFT Ultra High Modulus Graphite + NanoTube + 6.8 SHAFT

HYPERNANO X 7SP



HX-7SP

Stiff ——— Flexible

- ▶ LENGTH 675mm
- ▶ WEIGHT/GRIP SIZE 3U/G5 4U/G5, G6
- ▶ STRING TENSION LBS ≤ 28 lbs ≤ 26 lbs
- ▶ FRAME High Modulus Graphite + Nano Resin
- ▶ SHAFT Ultra High Modulus Graphite + Nano Tube + 6.8 SHAFT

NEW

HYPERNANO X 70



HX-70


Stiff ——— Flexible

- ▶ STIFFNESS SOO●OOOF
- ▶ LENGTH 675mm
- ▶ WEIGHT/GRIP SIZE 3U/G5 4U/G5
- ▶ STRING TENSION LBS ≤ 26 lbs ≤ 25 lbs
- ▶ FRAME Graphite + Resin
- ▶ SHAFT Graphite + Resin + 6.8 SHAFT

METEOR X

ALL-AROUND

Improved reinforced hitting power and racket frame stability. The METEOR X series uses the OCTABLADE structure combined with CARBON XT reinforced woven carbon fiber technology to not only provide racket frame stability, but also improve effectiveness in reducing air resistance, attacking power, and added antitorque in the shaft.



OCTABLADE

The octablaade cross-section design combines the shapes of a rhomboid and a hexagonal structure and provides better racket face stability, reduces air resistance, and improves attacking power and control.

METEOR X 90

ALL-AROUND

OCTABLADE

PEAK WAVES

NANO TEE

CARBON XT

HYBRID COMPOSITE

EIGHTY-80

MX-90

Stiff Flexible

- **BALANCE** HHO●○○○HL
- **STIFFNESS** S●○○○OF
- **LENGTH** 675mm
- **WEIGHT/GRIP SIZE** 3U/G4, G5 4U/G5
- **STRING TENSION LBS** H ≤ 30 lbs, V ≤ 28 lbs H ≤ 28 lbs, V ≤ 26 lbs
- **FRAME** Hybrid Composite + Carbon XT + Ultra High Modulus Graphite + Nano Resin
- **SHAFT** Ultra High Modulus Graphite + Nano Resin + 7.0 SHAFT
- **REMARK** Made In Taiwan

With 11% more control, creates greater handling at the point of shot.

METEOR X

METEOR X 80N

ALL-AROUND

OCTABLADE

PEAK WAVES

NANO TEE

CARBON XT


EIGHTY-80

MX-80N

Stiff Flexible

- **BALANCE** HHO●○○○HL
- **STIFFNESS** S●○○○OF
- **LENGTH** 675mm
- **WEIGHT/GRIP SIZE** 3U/G4.5 4U/G5
- **STRING TENSION LBS** H ≤ 30 lbs, V ≤ 28 lbs H ≤ 28 lbs, V ≤ 26 lbs
- **FRAME** Carbon XT + Ultra High Modulus Graphite + Nano Resin
- **SHAFT** Ultra High Modulus Graphite + Nano Resin + 7.2 SHAFT
- **REMARK** Made In Taiwan

Innovative OCTABLADE frame section, increased stability by 22% offer precise execution.



METEOR X



METEOR X 2600 O

ALL-AROUND

ETABLAGE

MX-26000

- STIFFNESS S O O O ● O F
- LENGTH 675mm
- WEIGHT/GRIP SIZE 3U/G4,5 4U/G5
- STRING TENSION LBS ≤ 26 lbs ≤ 25 lbs
- FRAME Graphite + Resin
- SHAFT Graphite + Resin + 7.2 SHAFT



METEOR X 2600 P

ALL-AROUND

ETABLAGE

MX-2600P

- STIFFNESS S O O O ● O F
- LENGTH 675mm
- WEIGHT/GRIP SIZE 3U/G4,5 4U/G5
- STRING TENSION LBS ≤ 26 lbs ≤ 25 lbs
- FRAME Graphite + Resin
- SHAFT Graphite + Resin + 7.2 SHAFT

METEOR X



METEOR X 6000 NEW

ALL-AROUND

ETABLAGE

MX-6000N

- STIFFNESS S O ● O O O F
- LENGTH 675mm
- WEIGHT/GRIP SIZE 3U/G4, G5 4U/G5
- STRING TENSION LBS ≤ 24 lbs ≤ 23 lbs
- FRAME Graphite + Resin
- SHAFT Graphite + Resin + 7.2 SHAFT



METEOR X 7000 NEW

ALL-AROUND

ETABLAGE

MX-7000N

- STIFFNESS S O O O ● O F
- LENGTH 675mm
- WEIGHT/GRIP SIZE 3U/G4, G5 4U/G5
- STRING TENSION LBS ≤ 24 lbs ≤ 23 lbs
- FRAME Graphite + Resin
- SHAFT Graphite + Resin + 7.2 SHAFT

JETSPEED S


Equipped with innovative frame structure and technology, offer fast and smooth swing and incredible response with instant strength. This series offer the player with a great advantage over opponents during the game.



SHARK TEC is inspired by the skin of shark. Shark skin's sandpaper-like surface is added to the racket frame to reduce air resistance, which enable the player with a smoother shot.



Innovative technology combining the two popular frame structure SWORD and AERODYNAMIC, the AERO-SWORD can efficiently reduce air resistance and allowing a faster and greater hitback.



JETSPEED S

JETSPEED S 10



JS-10

Stiff Flexible

► LENGTH	675mm
► WEIGHT/ GRIP SIZE	3U/G4, G5 4U/G5 5U/G5
► STRING TENSION LBS	≤ 28 lbs ≤ 27 lbs ≤ 26 lbs
► FRAME	Ultra High Modulus Graphite + Nano Fortify
► SHAFT	Ultra High Modulus Graphite + PYROFIL by Mitsubishi + 6.8 SHAFT
► REMARK	Made In Taiwan



NANO-FORTIFY and PYROFIL technology maximize the ability of agility and strength which making fastest swing and shot during the high speed rallies.

JETSPEED S 9



JS-9

Stiff Flexible

► LENGTH	675mm
► WEIGHT/ GRIP SIZE	3U/G4, G5 4U/G5 5U/G5
► STRING TENSION LBS	≤ 27 lbs ≤ 26 lbs ≤ 26 lbs
► FRAME	Ultra High Modulus Graphite + Nano Fortify + ZXION
► SHAFT	Ultra High Modulus Graphite + PYROFIL by Mitsubishi + 7.0 SHAFT
► REMARK	Made In Taiwan



Gathering PYROFIL & NANO FORTIFY technology, creates light features to boost smooth feeling. Make every hit on the agile peace and hitback as speed of light.

JETSPEED S



JETSPEED S 8PS



Zxion®

AERO-SWORD



JS-8PS

Stiff Flexible

- ▶ LENGTH 675mm
- ▶ WEIGHT/
GRIP SIZE 3U/G4, G5
4U/G5
- ▶ STRING
TENSION LBS ≤ 27 lbs
≤ 26 lbs
- ▶ FRAME Ultra High Modulus Graphite +
Nano Resin + ZXION
- ▶ SHAFT Ultra High Modulus Graphite +
Nano Fortify + 7.0 SHAFT

"Precise" feature-through Zxion to improve shock absorption and Shark
Tee to reduce the air resistance.



JETSPEED S 8ST



Zxion®

AERO-SWORD



JS-8ST

Stiff Flexible

- ▶ LENGTH 675mm
- ▶ WEIGHT/
GRIP SIZE 3U/G4, G5
4U/G5
- ▶ STRING
TENSION LBS ≤ 27 lbs
≤ 26 lbs
- ▶ FRAME Ultra High Modulus Graphite +
Nano Resin + ZXION
- ▶ SHAFT Ultra High Modulus Graphite +
Nano Fortify + 7.0 SHAFT

"Swift" feature- through Zxion to enhance elasticity and Shark Tee to reduce
the air resistance.

JETSPEED S



JETSPEED S 2



AERO-SWORD



JS-2

Stiff Flexible

- ▶ LENGTH 675mm
- ▶ WEIGHT/
GRIP SIZE 3U/G4, G5
4U/G5
- ▶ STRING
TENSION LBS ≤ 27 lbs
≤ 26 lbs
- ▶ FRAME High Modulus Graphite + Nano Resin
- ▶ SHAFT High Modulus Graphite + NanoTube +
7.0 SHAFT



JETSPEED S 1



AERO-SWORD



JS-1

Stiff Flexible

- ▶ LENGTH 675mm
- ▶ WEIGHT/
GRIP SIZE 3U/G4, G5
4U/G5
- ▶ STRING
TENSION LBS ≤ 27 lbs
≤ 26 lbs
- ▶ FRAME High Modulus Graphite + Nano Resin
- ▶ SHAFT High Modulus Graphite + NanoTube +
7.0 SHAFT

JETSPEED S



JETSPEED S 09L



JS-09L

Stiff Flexible

► LENGTH	675mm
► WEIGHT/ GRIP SIZE	3U/G6 4U/G6
► STRING TENSION LBS	≤ 25 lbs ≤ 24 lbs
► FRAME	High Modulus Graphite + Nano Resin
► SHAFT	High Modulus Graphite + NanoTube + 7.0 SHAFT

Head light with flexible response is a perfect choice for female player who pursue devastating speed.

JETSPEED S 08



JS-08

Stiff Flexible

► LENGTH	675mm
► WEIGHT/ GRIP SIZE	4U/G5 5U/G5, G6
► STRING TENSION LBS	H ≤ 27 lbs, V ≤ 25 lbs H ≤ 25 lbs, V ≤ 23 lbs
► FRAME	High Modulus Graphite + Nano Resin
► SHAFT	High Modulus Graphite + Nano Resin + 6.8 SHAFT



JETSPEED S



NEW

JETSPEED S 06A



JS-06A

► STIFFNESS	S O O ● O O F
► LENGTH	675mm
► WEIGHT/ GRIP SIZE	3U/G4, G5 4U/G5
► STRING TENSION LBS	≤ 25 lbs ≤ 24 lbs
► FRAME	Graphite + Resin
► SHAFT	Graphite + Resin + 7.0 SHAFT

JETSPEED S 07



JS-07

► STIFFNESS	S O O ● O O F
► LENGTH	675mm
► WEIGHT/ GRIP SIZE	3U/G4, G5 4U/G5
► STRING TENSION LBS	≤ 25 lbs ≤ 24 lbs
► FRAME	Graphite + Resin
► SHAFT	Graphite + Resin + 7.0 SHAFT



JETSPEED S



JETSPEED S 05



AERODYNAMIC

SEVEN SIX 76

JS-05

► STIFFNESS	S0●000F
► LENGTH	675mm
► WEIGHT/ GRIP SIZE	3U/G4, G5 4U/G5
► STRING TENSION LBS	≤ 25 lbs ≤ 24 lbs
► FRAME	Graphite + Resin
► SHAFT	Graphite + Resin + 7.0 SHAFT



JETSPEED S 02



AERODYNAMIC

SEVEN SIX 76

JS-02

► STIFFNESS	S0●000F
► LENGTH	675mm
► WEIGHT/ GRIP SIZE	3U/G4, G5 4U/G5
► STRING TENSION LBS	≤ 25 lbs ≤ 24 lbs
► FRAME	Graphite + Resin
► SHAFT	Graphite + Resin + 7.0 SHAFT



Kevin Sanjaya

BRAVE SWORD

The BRAVE SWORD uses diamond-shaped design to cut wind as a sword, vastly reducing air resistance while encouraging nimble handling. The INNER WAVES technology provides more consistent face stability.



The INNER WAVES technology lengthened the string, with 5% extended sweet spot, significantly reduce shock, provides more maneuverability and face stability.



This diamond-shaped design cuts through the air like sword. It significantly reduces air resistance and provides a faster swing speed.

BRAVE SWORD 09 NEW



BRS-09N

Stiff Flexible

► LENGTH	675mm
► WEIGHT/ GRIP SIZE	3U/G4, G5 4U/G5
► STRING TENSION LBS	H ≤ 30 lbs, V ≤ 28 lbs H ≤ 28 lbs, V ≤ 26 lbs
► FRAME	Ultra High Modulus Graphite + Nano Resin
► SHAFT	Ultra High Modulus Graphite + Nano Resin + 7.0 SHAFT

High speed swing and agile response, with classic BRAVE SWORD design.



BRAVE SWORD



**BRAVE SWORD
12 LIGHT**



BRS-12L

Stiff ————— Flexible

- **LENGTH** 675mm
- **WEIGHT/GRIP SIZE** 3U/G6 4U/G6
- **STRING TENSION LBS** H≤ 30 lbs, V≤ 28 lbs H≤ 28 lbs, V≤ 26 lbs
- **FRAME** Ultra High Modulus Graphite + Nano Resin
- **SHAFT** Ultra High Modulus Graphite + Nano Resin + 7.0 SHAFT

**BRAVE SWORD
1500 D**



BRS-1500D

- **STIFFNESS** S○○●○○F
- **LENGTH** 675mm
- **WEIGHT/GRIP SIZE** 3U/G4, G5 4U/G5
- **STRING TENSION LBS** H≤ 25 lbs H≤ 24 lbs
- **FRAME** Graphite + Resin
- **SHAFT** Graphite + Resin + 7.0 SHAFT



Edi Subaktiar

Gloria E Widjaja

THRUSTER K

Attack is the best defense and is the foundation of victory. Combining a frame structure that releases smash power and graphene used frame, it provides solid experience and devastating power, making your smash more powerful.



MULTI-LAYER GRAPHENE

Graphene is composed of carbon atoms arranged densely in a hexagonal honeycomb crystal lattice, which has become one of the lightest and strongest materials in the 21st century. By only one gram of graphene can bear five tons of weight. Combining with carbon fiber, it fortifies the racket frame and makes the racket get lighter and stronger, which causes a revolution in a way of racket performance.

CATAPULT STRUCTURE

CATAPULT STRUCTURE stores power and releases at smashing for maximum effect.

NEW

THRUSTER K 9900




TK-9900

Stiff ——— Flexible

► LENGTH	675mm
► WEIGHT/ GRIP SIZE	3U/G4, G5 4U/G5
► STRING TENSION LBS	≤ 30 lbs ≤ 29 lbs
► FRAME	Multi-Layer Graphene + Nano Resin + HARD CORED TECHNOLOGY
► SHAFT	Ultra High Modulus Graphite + Nano Resin PYROFIL by Mitsubishi + 6.4 SHAFT
► REMARK	Made In Taiwan



THRUSTER K



THRUSTER K 9000



TK-9000

Stiff Flexible

- ▶ LENGTH 675mm
- ▶ WEIGHT/ GRIP SIZE 3U/G4, G5 4U/G5
- ▶ STRING TENSION LBS H ≤ 30 lbs, V ≤ 28 lbs H ≤ 28 lbs, V ≤ 26 lbs
- ▶ FRAME Multi-Layer Graphene + Nano Resin
- ▶ SHAFT Ultra High Modulus Graphite + Nano Fortify + 7.0 SHAFT
- ▶ REMARK Made In Taiwan

Graphene and innovative energy storage technology-CATAPULT STRUCTURE boost smash power by 9.75%. Combining with Nano Fortify on the shaft, TK-9000 provides strongest attack.



THRUSTER K ONIGIRI



TK-ONIGIRI

Stiff Flexible

- ▶ LENGTH 675mm
- ▶ WEIGHT/ GRIP SIZE 4U/G5, G6 5U/G5, G6
- ▶ STRING TENSION LBS ≤ 29 lbs ≤ 27 lbs
- ▶ FRAME Ultra High Modulus Graphite + CSR
- ▶ SHAFT Ultra High Modulus Graphite + 6.4 SHAFT

THRUSTER K



THRUSTER K 8000



TK-8000

Stiff Flexible

- ▶ LENGTH 675mm
- ▶ WEIGHT/ GRIP SIZE 3U/G4, G5 4U/G5
- ▶ STRING TENSION LBS ≤ 30 lbs, V ≤ 28 lbs ≤ 28 lbs, V ≤ 26 lbs
- ▶ FRAME Multi-Layer Graphene + Nano Resin
- ▶ SHAFT Ultra High Modulus Graphite + Nano Resin + 7.0 SHAFT
- ▶ REMARK Made In Taiwan

Through graphene and innovative energy storage technology -CATAPULT STRUCTURE, TK-8000 boost smash power by 9.75% and generate a powerful attack.

NEW

THRUSTER K 7000L NEW



TK-7000LN

Stiff Flexible

- ▶ LENGTH 675mm
- ▶ WEIGHT/ GRIP SIZE 4U/G6 5U/G6
- ▶ STRING TENSION LBS ≤ 29 lbs ≤ 28 lbs
- ▶ FRAME Multi-Layer Graphene + Nano Resin + HARD CORED TECHNOLOGY
- ▶ SHAFT Ultra High Modulus Graphite + PYROFIL by Mitsubishi + 7.0 SHAFT

Built with an upgraded brand new design, which not only accelerates each swing, but also enables easy yet powerful attacks with GRAPHENE.

THRUSTER K

THRUSTER K



Small Square Frame converts energy into full power.

THRUSTER K 7000S



TK-7000S

Stiff ——— Flexible

- ▶ LENGTH 675mm
- ▶ WEIGHT/ GRIP SIZE 3U/G4, G5 4U/G5
- ▶ STRING TENSION LBS H ≤ 30 lbs, V ≤ 28 lbs H ≤ 28 lbs, V ≤ 26 lbs
- ▶ FRAME Multi-Layer Graphene + Nano Resin
- ▶ SHAFT Ultra High Modulus Graphite + Nano Resin + 7.0 SHAFT



The first female power racket from VICTOR, made with graphene and CATAPULT STRUCTURE generates shanper smash.

THRUSTER K 7000L



TK-7000L

Stiff ——— Flexible

- ▶ LENGTH 675mm
- ▶ WEIGHT/ GRIP SIZE 4U/G6
- ▶ STRING TENSION LBS ≤ 28 lbs, V ≤ 26 lbs
- ▶ FRAME Multi-Layer Graphene + Nano Resin
- ▶ SHAFT Ultra High Modulus Graphite + Nano Resin + 7.0 SHAFT



THRUSTER K 6000



TK-6000

Stiff ——— Flexible

- ▶ LENGTH 675mm
- ▶ WEIGHT/ GRIP SIZE 3U/G4, G5 4U/G5
- ▶ STRING TENSION LBS ≤ 30 lbs, V ≤ 28 lbs ≤ 28 lbs, V ≤ 26 lbs
- ▶ FRAME Multi-Layer Graphene + Nano Resin
- ▶ SHAFT Ultra High Modulus Graphite + Nano Resin + 7.0 SHAFT



The stunning racket, TK-5000, applying GRAPHENE technology creates aggressive and powerful attacks.

THRUSTER K 5000



TK-5000

Stiff ——— Flexible

- ▶ LENGTH 675mm
- ▶ WEIGHT/ GRIP SIZE 3U/G4, G5 4U/G5
- ▶ STRING TENSION LBS ≤ 28 lbs ≤ 27 lbs
- ▶ FRAME Multi-Layer Graphene + Nano Resin
- ▶ SHAFT Ultra High Modulus Graphite + Nano Resin + 7.0 SHAFT

THRUSTER K

THRUSTER K



Small square frame sustain maximum energy which create intense smash power.

THRUSTER K 2000S



TK-2000S

Stiff ●●●●● Flexible

- ▶ LENGTH 675mm
- ▶ WEIGHT/ GRIP SIZE 3U/G4, G5 4U/G5
- ▶ STRING TENSION LBS ≤ 30 lbs, V ≤ 28 lbs
- ▶ FRAME Multi-Layer Graphene + Nano Resin
- ▶ SHAFT Ultra High Modulus Graphite + Nano Resin + 7.0 SHAFT



THRUSTER K 55



TK-55


Stiff ●●●●● Flexible

- ▶ LENGTH 675mm
- ▶ WEIGHT/ GRIP SIZE 3U/G4, G5 4U/G5
- ▶ STRING TENSION LBS ≤ 28 lbs, V ≤ 26 lbs
- ▶ FRAME High Modulus Graphite + Nano Resin
- ▶ SHAFT High Modulus Graphite + Nano Resin + 7.0 SHAFT



NEW

THRUSTER K 330



TK-330


▶ STIFFNESS S O O O O ● F

- ▶ LENGTH 675mm
- ▶ WEIGHT/ GRIP SIZE 3U/G4, G5 4U/G5
- ▶ STRING TENSION LBS ≤ 26 lbs
- ▶ FRAME Graphite + Resin
- ▶ SHAFT Graphite + Resin + 7.0 SHAFT



NEW

THRUSTER K 220



TK-220

▶ STIFFNESS S O O ● O O F

- ▶ LENGTH 675mm
- ▶ WEIGHT/ GRIP SIZE 3U/G4, G5 4U/G5
- ▶ STRING TENSION LBS ≤ 26 lbs
- ▶ FRAME Graphite + Resin
- ▶ SHAFT Graphite + Resin + 7.0 SHAFT

THRUSTER K



THRUSTER K 110



- TK-110**
- **STIFFNESS** S●○○○○F
 - **LENGTH** 675mm
 - **WEIGHT/GRIP SIZE** 3U/G4, G5 4U/G5
 - **STRING TENSION LBS** ≤ 24 lbs ≤ 23 lbs
 - **FRAME** Graphite + Resin
 - **SHAFT** Graphite + Resin + 7.0 SHAFT



THRUSTER K 100




- TK-100**
- **STIFFNESS** S○○○●○F
 - **LENGTH** 675mm
 - **WEIGHT/GRIP SIZE** 3U/G4, G5 4U/G5
 - **STRING TENSION LBS** ≤ 24 lbs ≤ 23 lbs
 - **FRAME** Graphite + Resin
 - **SHAFT** Graphite + Resin + 7.0 SHAFT

CHALLENGER



CHALLENGER 9500 C



- CHA-9500 C**
- **STIFFNESS** S○○●○○F
 - **LENGTH** 675mm
 - **WEIGHT/GRIP SIZE** 3U/G5, G4 4U/G5
 - **STRING TENSION LBS** H≤ 26 lbs, V≤ 24 lbs H≤ 24 lbs, V≤ 22 lbs
 - **FRAME** Graphite + Resin
 - **SHAFT** Graphite + Resin + 7.5 SHAFT

WRIST ENHANCER



WRIST ENHANCER 140 NEW

- WE-140N**
- **STIFFNESS** S●○○○○F
 - **LENGTH** 675mm
 - **WEIGHT/GRIP SIZE** 130-140g/G5
 - **STRING TENSION LBS** ≤ 24 lbs
 - **FRAME** Graphite + Resin
 - **SHAFT** Graphite + Resin



NEW

ARROW SPEED 660



AERODYNAMIC



AS-@660

► STIFFNESS	S●●●●●F
► BALANCE	HH●●●HL
► LENGTH	675mm
► WEIGHT/ GRIP SIZE	3U/G5 4U/G5
► STRING TENSION LBS	33 lbs/3U 31 lbs/4U
► FRAME	Hitech Graphite
► SHAFT	Hitech Graphite + Nano Tec + 7.0 SHAFT



NEW

ARROW SPEED 88



AERODYNAMIC



AS-@88

► STIFFNESS	S●●●●●F
► BALANCE	HH●●●HL
► LENGTH	675mm
► WEIGHT/ GRIP SIZE	3U/G5 4U/G5
► STRING TENSION LBS	30 lbs/3U 28 lbs/4U
► FRAME	All Carbon Graphite
► SHAFT	All Carbon Graphite + Nano Tec + 7.0 SHAFT



NEW

ARROW SPEED 11



AERODYNAMIC



AS-@11

► LENGTH	675mm
► WEIGHT/ GRIP SIZE	3U/G5
► STRING TENSION LBS	≤ 28 lbs
► FRAME	All Carbon Graphite
► SHAFT	All Carbon Graphite



NEW

ARROW SPEED 12



AERODYNAMIC



AS-@12

► LENGTH	675mm
► WEIGHT/ GRIP SIZE	3U/G5
► STRING TENSION LBS	≤ 28 lbs
► FRAME	All Carbon Graphite
► SHAFT	All Carbon Graphite



Special Products for
ASEAN

RACKETS



NEW

**ARROW
POWER
990**



DIAMOND

AERODYNAMIC



AP-@990

► STIFFNESS	S O O O ● O F
► BALANCE	H H ● O O H L
► LENGTH	675mm
► WEIGHT/ GRIP SIZE	3U/G5 4U/G5
► STRING TENSION LBS	35 lbs/3U 33 lbs/4U
► FRAME	Hitech Graphite
► SHAFT	Hitech Graphite + Nano Tec + 6.8 SHAFT



NEW

**ARROW
POWER
15**



DIAMOND

AERODYNAMIC



AP-@15

► STIFFNESS	S O O O O ● F
► BALANCE	H H ● O O H L
► LENGTH	675mm
► WEIGHT/ GRIP SIZE	3U/G5 4U/G5
► STRING TENSION LBS	30 lbs/3U 28 lbs/4U
► FRAME	All Carbon Graphite
► SHAFT	All Carbon Graphite + Nano Tec + 7.0 SHAFT



NEW

**ARROW
POWER
8000**



**POWER
EDGE**

AP-@8000

► LENGTH	675mm
► WEIGHT/ GRIP SIZE	3U/G5
► STRING TENSION LBS	30 lbs
► FRAME	All Carbon Graphite
► SHAFT	All Carbon Graphite



NEW

**ARROW
POWER
7000S**



**POWER
EDGE**

AP-@7000S

► LENGTH	675mm
► WEIGHT/ GRIP SIZE	3U/G5
► STRING TENSION LBS	30 lbs
► FRAME	All Carbon Graphite
► SHAFT	All Carbon Graphite



NEW

**ARROW
POWER
90**



**POWER
EDGE**

AP-@90

► LENGTH	675mm
► WEIGHT/ GRIP SIZE	3U/G5
► STRING TENSION LBS	30 lbs
► FRAME	All Carbon Graphite
► SHAFT	All Carbon Graphite



NEW

**ARROW
POWER
80**



**POWER
EDGE**

AP-@80

► LENGTH	675mm
► WEIGHT/ GRIP SIZE	3U/G5
► STRING TENSION LBS	30 lbs
► FRAME	All Carbon Graphite
► SHAFT	All Carbon Graphite

STRINGS

High Resilience



VS-890 A/G/O

- ▶ **LENGTH** 10 m
- ▶ **DIAMETER** 0.68 mm
- ▶ **REMARK** Made in japan



HARD ☒ With the combination of oval-shaped, double-layer nylon monofilament and special nylon coating technique, VS-890 is gifted with excellent resilience and remarkable ability to instantly rebound the shuttlecock; featuring not only the persistent string tension, but also the improvement of durability.



NS-660Ti A/C/F/G/M/Q

- ▶ **LENGTH** 10 m
- ▶ **DIAMETER** 0.66 mm
- ▶ **REMARK** Material from Japan
Made in Taiwan



HARD ☐ NS-660Ti uses 0.66mm super fine high strength fiber from Japan and is joined more tightly to the nylon molecules through nano and titanium technology. These technologies give

MEDIUM ☒ unprecedented repulsion and enhance crispy clear sound.

SOFT ☐



VS-650 A/C/F/G

- ▶ **LENGTH** 10 m
- ▶ **DIAMETER** 0.66 mm
- ▶ **REMARK** Made in Japan



HARD ☐ VS-650 has high tenacity multifilament core wrapped with

MEDIUM ☐ two layers of multi-braided triplet fiber. The string made by

SOFT ☒ dipping technique combined all materials to high performance. VS-650 provides most repulsion power with a sharp touch.



VS-650 A (Reel)

- ▶ **LENGTH** 200 m
- ▶ **DIAMETER** 0.66 mm
- ▶ **REMARK** Made in japan



HARD ☐ VS-650 has high tenacity multifilament core wrapped with

MEDIUM ☐ two layers of multi-braided triplet fiber. The string made by

SOFT ☒ dipping technique combined all materials to high performance. VS-650 provides most repulsion power with a sharp touch.

STRINGS

Control



NS-880ZTi A/C/F/G

- ▶ **LENGTH** 10 m
- ▶ **DIAMETER** 0.68 mm
- ▶ **REMARK** Material from Japan Made in Taiwan
ZXION is a trademark of the LCP filament by KB Seiren, Ltd.



HARD ☒ NS-880ZTi uses new "ZXION" super strong durable fiber from

MEDIUM ☐ Japan, interwoven braided with the outer layer "high-streng

SOFT ☐ flat fiber,"increases strength and extendibility of the strings, provides explosive repulsion with added nano-titanium alloy coating technology. It supports excellent control and an outstanding hitting sound.



VS-850 A/C/F/G

- ▶ **LENGTH** 10 m
- ▶ **DIAMETER** 0.68 mm
- ▶ **REMARK** Made in japan



HARD ☐ VS-850 has a central core made with high power nylon filament.

MEDIUM ☒ Wrapping around the core is a high tenacity nylon fiber that is

SOFT ☐ tightly woven with a special connect technique; the outer surface is manufactured using the high-density dipping technique and nano technique. It provides super toughness durability and offensive play. It will satisfy the offensive player's needs.

Durability



VS-850 A (Reel)

- ▶ **LENGTH** 200 m
- ▶ **DIAMETER** 0.68 mm
- ▶ **REMARK** Made in japan



HARD ☐ VS-850 has a central core made with high power nylon

MEDIUM ☐ filament. Wrapping around the core is a high tenacity nylon

SOFT ☐ fiber that is tightly woven with a special connect technique; the outer surface is manufactured using the high-density dipping technique and nano technique. It provides super toughness durability and offensive play. It will satisfy the offensive player's needs.



VS-800 A/F/G

- ▶ **LENGTH** 10 m
- ▶ **DIAMETER** 0.69 mm
- ▶ **REMARK** Made in japan



HARD ☐ VS-800 has high tenacity multifilament core wrapped with highly

MEDIUM ☐ resilient multi-braided triplet fiber. The string made by dipping

SOFT ☒ technique combined all materials to high performance. VS-800 provides superb durability and offensive play. It will satisfy the offensive player's needs.



www.victorsport.co.id



High Resilience



NEW

VS-@66 A/F/G

- ▶ **LENGTH** 10 m
- ▶ **DIAMETER** 0.66 mm
- ▶ **REMARK** Made in China



VS-66 has high tenacity multifilament core wrapped with two layers of multibraided triplet fiber. The string made by dipping technique combined all materials to high performance. VS-66 provides super repulsion power and great hitting sound with a sharp touch.



NEW

VS-@68 A/F/G

- ▶ **LENGTH** 10 m
- ▶ **DIAMETER** 0.68 mm
- ▶ **REMARK** Made in China



VS-68 has central core made with high power nylon filament. Wrapping around the core is a high tenacity nylon fiber that is tightly woven with a special connect technique; the outer surface is manufactured using the high-density coating technique. It provides great repulsion power and enhance hitting sound with a sharp touch.

Special Products for ASEAN



OVERGRIPS

Anti-Slip



GR256 E/F/I/J

- WIDTH

27 mm
- MATERIAL

Polyurethane+EVA
- THICKNESS

0.6 mm
- PACKAGE

Single pack
- LENGTH

1100 mm
- REMARK

Material from Japan / Made in Taiwan

E F I J

The ultra-fine anti-slip material developed in Japan on the surface, the V-shaped perforations and shock-absorbent Rubber base material provide excellent perspiration and shock absorption.

Moisture Absorbency



GR233-3 C/D/E/F

- WIDTH

27 mm
- MATERIAL

Polyurethane
- THICKNESS

0.6 mm
- PACKAGE

3 in 1 pack
- LENGTH

1100 mm
- REMARK

Material from Japan / Made in Taiwan

C D E F

Water absorbing bottom layer combines with anti-slip coating providing great absorbency and skid resistance.

TOWEL GRIPS

Thin



GR334 C/D/E/F/J

- WIDTH

30 mm
- MATERIAL

100% Cotton
- LENGTH

740 mm
- PACKAGE

Single pack

C D E F J

The pileable structure absorbs vibration and sweat, providing players a feeling of security and comfort while swinging.

Durability



GR200 A/C/D/E/F

- WIDTH

27 mm
- MATERIAL

Polyurethane
- THICKNESS

0.6 mm
- PACKAGE

60 in one pack
- LENGTH

1100 mm
- REMARK

Material from Japan / Made in Taiwan

A C D E F

This overgrip absorb sweat very well,extremely comfortable,and control skillfully.

Thick



GR338 A/E/F/J/O

- WIDTH

30 mm
- MATERIAL

100% Cotton
- LENGTH

10000 mm
- PACKAGE

Single roll

A E F J O

The pileable structure absorbs vibration and sweat, providing players a feeling of security and comfort while swinging.

REPLACEMENT GRIPS



GR112 C

- WIDTH

25 mm
- MATERIAL

Polyurethane
- THICKNESS

1.5 mm
- PACKAGE

Single pack
- LENGTH

800 mm

C

Extra durable design without extra embossing ensures better elasticity.



GR114 C/D

- WIDTH

25 mm
- MATERIAL

Polyurethane
- THICKNESS

1.7 mm
- PACKAGE

Single pack
- LENGTH

800 mm

C D

This grip provides tacky and great hitting experience.

RACKET ACCESSORIES



C



D

AC021 C/D

Racket Stencil Ink

- COLOR

C (Black)/ D (Red)
- SIZE/SPEC

55 ml
- REMARK

Made in USA

AC020 C

Logo Stencil

- COLOR

C (Black)
- SIZE/SPEC

18.7 cm x 15.4 cm



GR50 F/O/E

Cushion Wrap

- MATERIAL

Polyurethane
- COLOR

O (Orange)/ F (Blue)/ E (Yellow)
- SIZE/SPEC

27m x 70 mm
- REMARK

Made in USA



F

O



E