



STRINGING INSTRUCTIONS



Traditional 72-Hole Stringing Pattern

- A. The vertical string is pulled from the middle point of the top of the racket, and is pulled to the side.
- B. The vertical string goes through B9 and D9, and jumps to B12 and D12. It then passes through A11 and C11, and it enters A10 and C10. It passes through again in B10 and D10.
- C. The long end enters B12 and is pulled upward. After it passes through C9, it enters C7. It then passes through A8 and C8. Knot it at C6.
- The short end enters D11 and it is pulled downward. It passes through D8. Knot it at D7.

Remark: The upper 5 horizontal strings and bottom 4 horizontal strings have the same tension as the vertical string. Other horizontal strings have 2 more pounds added than the vertical string.




OSEVEN SIX 16

VICTOR 76-Hole Stringing Pattern

- A. The vertical string is pulled from the middle point of the top of the racket, and is pulled to the side.
- B. The vertical string goes through B9 and D9, and jumps to B12 and D12. It then passes through A15 and C15, and it enters A13 and C13. It passes through again in B10 and D10.
- C. The long end enters B12 and is pulled upward. After it passes through A12, it enters A8. It then passes through C10 and A10. Knot it at A5.
- D. The short end enters D11 and it is pulled downward. It passes through D8. Knot it at D6.

Remark: The upper 5 horizontal strings and bottom 4 horizontal strings have the same tension as the vertical string. Other horizontal strings have 2 more pounds added than the vertical string.



SEIGHTY-80

VICTOR 80-Hole Stringing Pattern A The vertical string begins from the center part of the racket, and is

- $\mbox{\bf A.}$ The vertical string begins from the center part of the racket, and is pulled to two sides.
- B. The vertical string goes through B10 and D10, and jumps to B14 and D14. It then goes out at A15 and C15, and it enters A13 and C13. It goes out again in B12 and D12.
- C. The cross string enters B14 and is pulled upward. It goes out at A12, and enters A8. It then goes out at C10 and enters A10, and it is knotted at A5.
- D. The short end enters at D13 and it is pulled downward. It goes out at D8 and it is knotted at D6.

Remark: The top 5 horizontal strings and bottom 4 strings have the same tension as the vertical string and rest of the horizontal strings need to add 2 more pounds.





www.victorsport.co.id

VE-80

Revolutionary Badminton-Tennis Stringing Machine

- Easy switch between tennis and badminton
- Two-way color panel in multi-languages
- Safety shut-down device for built-in soldering iron
- Multi-functional separated storages
- Angle and height adjustable
- Interval tensioning for best string performance



STRINGING MACHINES



Revolutionary Badminton-Tennis Stringing Machine

► SPECIFICATION 360 Degree, Upright

►SIZE 114.6 x 55.6 x 105.2 ~ 120.2 (cm)

► VOLTAGE 100 ~ 240 V **► UTILITY FREQUENCY** 50 ~ 60 Hz

VE-80

► REMARK Tool Bag, String Pliers,

SM-307 stringing chair attched.

Made in Taiwan

n)	Nation	Patent Number	Technology
	TW	M469095	Mobile Arm Seating and Locking Mode.
	CN	ZL 2013 2 0528996.4	Mobile Arm Seating and Locking Mode.
	CN	ZL 2007 2 0008035.5	Ball Bearing String Gripper Design.
	CN	ZL 2013 2 0528989.4	Open-Close Type Clamp Mode.
	CN	ZL 2013 2 0528134.1	Automatic Position Adjusting Tension Head between Badminton and Tennis Models



Instinctive 25% Time Saved

The revolutionary VE-80 features a groundbreaking switch system between badminton rackets and tennis rackets. At the flip of a lever, the six point mounting device will automatically adjust into positions to meet different needs, with a blue-orange lighting change under the racket head to serve as a reminder what mode the user is in.



Integrated Built-in Soldering Iron

Soldering iron device installed within the module offers a more efficient operation. And safety has been the primary focus of VE-80 design team; when user goes back to stringing or the soldering iron is under use for over eight minutes, the auto-heating will be cut immediately.



Intelligent Touch-Screen Customized Settings

The new two-way color control panel (traditional keyboard and touch screen panel) provides instinctive operation in five languages with nine customized memory settings in easy to read display.

STRINGING MACHINES



VE-50

Badminton-Tennis Stringing Machine

► SPECIFICATION 360 Degree, Upright

►SIZE 100 x 40 x 105 ~ 120 (cm)

► VOLTAGE 100 ~ 240 V **► UTILITY FREQUENCY** 50 ~ 60 Hz

▶ REMARK Tool bag, string pliers attached.

Made in Taiwan

Nation	Patent Number	Technology
TW	M349789	Manually Column Heights Adjusted.
CN	ZL 2007 2 0008035.5	Ball Bearing String Gripper Design.
CN	ZL 2013 2 0528989.4	Open-Close Type Clamp Mode.
CN	ZL 2013 2 0528134.1	Automatic Position Adjusting Tension Head between Badminton and Tennis Models.



Improved 6-Point Mounting System

Smart 6-point racket mounting system. Quick switch between badminton and tennis. Patented string gripper preventing obstructions.

obstructions.

Dual-action swivel clamps.

360 degree turntable



Smooth Tensioning Action
Electronically controlled.
Precise tension control from 11 ~ 80 lb.
Smooth action cam rollers.
Patented open-close clamp design.



Digital Control Panel
LED digital control panel.
All advanced functions with one finger.
Height adjustable.



Other Features
Large tool drawer.
Wide voltage, concealed wiring.
Modular components for easy maintainance.

STRINGING MACHINES



C-7032N

Electric Stringing Machine (Badminton Only)

► SPECIFICATION 360 Degree , Upright

►SIZE 95.4 x 44 x 103.5 ~ 118.5 (cm)

▶ VOLTAGE 100 ~ 240 V **▶ UTILITY FREQUENCY** 50 ~ 60 Hz

►REMARK Tool Bag, String Pliers attached.

Made in Taiwan

CN	ZL 2007 2 0008035.5	Ball Bearing String Gripper Design.
CN	ZL 2013 2 0528989.4	Open-Close Type Clamp Mode.



Unique Electronic Tension Head and Brake System

An upgraded design with a patented electronic tension head device and a safe rotation brake to offer quick and accurate tensioning. The newly flattened power switch also prevents shut-down by accident.



Micro-Computer Control

The modular control panel maintains an electronically controlled, constant pull tensioning for enhanced precision at your fingertips.



New Mounting System

The easy and secure 6-point mounting system features highly maneuvarable dual-action swivel clamps and 360 degree turnable rotation, as well as a new patented string gripper base design.

STRINGING MACHINES



VM-2000S

Badminton-Tennis Stringing Machine

► SPECIFICATION 360 Degree, Upright

▶ REMARK Tool bag, string pliers attached.

Tension control from 9 \sim 88 lb.

Made in Taiwan







Tool Box

►SIZE 32 x 23.5 x 5 cm

▶ REMARK Grommet grinder, pathfinder guiding awl,

soldering iron, grommetpusher, cutter knife, string bed cutter, and bent nose pliers.

Made in Taiwan





COURTS & EQUIPMENT

Surface

Pure PVC surface, antiskid, anti-friction, comfortable, and suitable for badminton.


Middle Layer

Special draw-spinning process, 100% polyester fiber gray cloth, water absorption, prevents deformation.

Bottom

High resilience pure PVC foaming layer.





C-7057



►SIZE 15 x 7.2 (15 m x 1.8 m x 4 pcs)


►THICKNESS 5 mm ± 0.25 mm

►WEIGHT 300 kg

Mobile Plastic Court

▶ REMARK Approved by the BWF for international Play

Made In Taiwan



Surface


Pure PVS surface, durable, smooth, antislip, easy to clean.

Middle Layer

Reinforced layer made of high-strength polyester fibre (Terylene) ensures the stability of the court, resistant to deformation.

Bottom

High density PVC foam provides lasting resilience, absorbs shock, prevents slipping.



C-7051



Mobile Plastic Court


►SIZE 15 x 7.2 (15 m x 1.8 m x 4 pcs)

►THICKNESS 5 mm ± 0.25 mm

►WEIGHT 320 kg

► REMARK Approved by the BWF for international Play

Made In Taiwan



COURTS & EQUIPMENT

Surface


Pure PVC with 1.5mm surface, durable, antislip.

Middle Layer

Reinforcing layer made of high strength polyester fiber ensures the stability of the court, resistant to deformation.

Bottom

High density PVC foam provides lasting resilience, absorbs shock, prevents slipping.




C-7059

Mobile Plastic Court

►SIZE 15 x 7.2 (15 m x 1.8 m x 4 pcs)

►THICKNESS 5 mm ± 0.25 mm

►WEIGHT 480 kg



Surface


1.2 thickness of water cube texture and pure PVC to protect the surface againts skidding and marring.

Middle Layer

Reinforcing layer made of hgh strenght polyester fiber ensure the satbility of the court, resistent to deformation.

Bottom

Single layer and reinforced fiberglass to ensure the stabilty of the court more effectively and no distortion.



C-7058 N/F


Mobile Plastic Court

►SIZE 15 x 7.2 (15 m x 1.8 m x 4 pcs)

►THICKNESS 4.5 mm ± 0.25 mm

►WEIGHT 450 kg

►COLOR N (Green), F (Blue)



COURTS & EQUIPMENT



C-7045

Court Side Tape

5000 cm **►WIDHT ►LENGTH** 4 m

► COLOR White/Yellow/Green ► REMARK 2 Roll per court

C-7066

Court Mat Tape

►WIDHT 75 mm **►LENGTH ►** COLOR Green Made in Japan **► REMARK**



C-7065

Double-Sided Court Tape

►WIDHT 80 mm **►LENGTH ►** COLOR White ► REMARK 3M (Shanghai)





C-7069 Mobile Badminton Post

►SIZE (BASE) 39 x 32 x 23 cm **▶**POST 155 cm **►WEIGHT** 172 kg

►REMARK Approved by the BWF for international play.

Extendible base (48 -65 cm).



Y VICTOR

CT-362


Manual Score Board

►SIZE 40 x 16 x 22 cm ► REMARK Made in Taiwan



►SIZE 604 x 76 cm **►WEIGHT**

Approved by the BWF ► REMARK for international play.



Badminton Net Ruler

►SIZE

►SIZE (BASE) 91 x 4.3 x 2 cm **▶**POST 160 cm **►WEIGHT** 0.35 kg **► REMARK** Made In China



